versions, and listings of claims in the application:

**Listing of Claims:** 

Claim 1 (Currently Amended): A method for use in a computing system for

preprocessing Java application code, comprising the operations of:

receiving a Java template file, the Java template file including Java programming

language code and meta code, the meta code being a computer program written in meta

language, the meta language using a programming language;

processing the Java template to create an intermediate program using the meta code,

wherein the intermediate program is a Java program;

compiling the intermediate program to create an intermediate class, wherein the

intermediate class is a Java based class; and

generating an object text file using the intermediate class.

Claim 2 (Currently Amended): A method as recited in claim [[1]] 3, wherein the

meta code can include Java programming language statements.

Claim 3 (Currently Amended): A method as recited in claim [[2]] 1, wherein the

meta code programming language is equivalent to the Java programming language.

Claim 4 (Original): A method as recited in claim 1, further comprising the

operation of transforming lines in the Java template.

Claim 5 (Original): A method as recited in claim 4, wherein the transformed lines

are entered into the intermediate program.

Claim 6 (Original): A method as recited in claim 5, further comprising the operation of entering header data into the intermediate program.

Claim 7 (Original): A method as recited in claim 5, further comprising the operation of entering footer data into the intermediate program.

Claim 8 (Currently Amended): A method for use in a computing system for transforming lines of a Java template for preprocessing, comprising the operations of:

obtaining a line of text from a Java template;

determining if the line of text begins with a meta symbol, wherein the meta symbol is a predefined symbol indicating the line of text is a preprocessor directive;

removing the meta symbol from the line of text when the line of text begins with the meta symbol; and

transforming the line of text into a function argument when the line of text does not begin with the meta symbol.

Claim 9 (Original): A method as recited in claim 8, wherein transforming the line of text into a function argument comprises the operation of enclosing the line of text in quotes.

Claim 10 (Original): A method as recited in claim 9, wherein transforming the line of text into a function argument further comprises the operation of prepending the line of text with an internal preprocessor method call and an open bracket.

Claim 11 (Original): A method as recited in claim 10, wherein transforming the line of text into a function argument further comprises the operation of appending a closing bracket and a semicolon to the end of the line of text.

Claim 12 (Original): A method as recited in claim 11, wherein the quotes are double

quotes.

Claim 13 (Original): A method as recited in claim 8, further comprising the

operation of determining whether macros are present in the line of text.

Claim 14 (Original): A method as recited in claim 13, further comprising the

operation of transforming macros present in the line of text into appropriate instructions.

Claim 15 (Original): A method as recited in claim 8, further comprising the

operation of writing header data, footer data, and the transformed lines of text to an

intermediate program.

Claim 16 (Currently Amended): A Java preprocessor for use in a computing

system, comprising:

a meta code converter capable of processing a Java template to create an intermediate

program using meta code included in the Java template; and

an object text generator that compiles the intermediate program to create an

intermediate class, wherein the intermediate class is a Java based class, the object text

generator also capable of generating an object text filed file using the intermediate class.

Claim 17 (Currently Amended): A Java preprocessor as recited in claim 16,

wherein the meta code can include Java programming language statements is a computer

program written in meta language.

Attorney Docket No: SUNMP014

Page 6 of 13

Claim 18 (Currently Amended): A Java preprocessor as recited in claim 17,

wherein the meta code is equivalent to language uses the Java programming language.

Claim 19 (Original): A Java preprocess as recited in claim 18, further comprising a

preprocessor library interface module that specifies a contract that can be extended by any Java

preprocessor library that is to be supported by the Java preprocessor.

Claim 20 (Original): A Java preprocessor as recited in claim 19, further comprising

an executor module that calculates the name of the object text generator class and invokes

main method of the object text generator class.

Attorney Docket No: SUNMP014